

**G I A S C O**  
**I T A L Y**



TM

**BOOK 2018**  
SAFETY SHOES

# MANAGEMENT SYSTEM CERTIFICATE

DNV - GL

## SINCE 1971



MADE IN ITALY



**CERTIFICATIONS**  
**A QUESTION OF**  
**TECHNOLOGY**



**RESEARCH**  
**& DEVELOPMENT**



RAW MATERIAL



PROMPT DELIVERY



# PRODUCTION AND CONTROL

---

MADE IN ITALY

UNI EN ISO 20344  
UNI EN ISO 20345



SB=						
S1=SB+E+A						
S1P=SB+E+A+P						
S2=S1+WRU						
S3=S2+P						

UNI EN ISO 20347



OB=						
O1= OB+E+A						
O2= O1+WRU						
O3= O2+P						

# STANDARDS

## USA STANDARD

ASTM 2413-11 IMPACT/COMPRESSION



**ESD = ELECTRO STATIC DISCHARGE**  
**EN ISO 61340-4-3:2001 (IEC 61340 4-3:2001)**

Conductive from 0 MΩ to 0,1 MΩ

ESD from 0,1 MΩ to 100 MΩ

Antistatic from 0,1 MΩ to 1000 MΩ


Dielectric from >1000 MΩ



## ANTI SLIPPING SOLE

EN ISO 13287 : 2012

FLAT



HEEL





CITY

page 8



Bloom

page 22



HARD  
ROCK


ANTISTATIC PU  
RUBBER SOLE

page 32



KUBE

page 12



24 HOURS

page 24



HARD  
ROCK

DIELECTRIC SOLE  
PU/RUBBER

page 35



RUBBER  
4X4

ANTISTATIC PU / RUBBER SOLE

page 18



STABILE

page 26



CLOGS &  
BOOTS

page 36



ERGO SAVE

page 19



ACTION

page 29




ACCESSORIES

page 37

# CITY

ANTISTATIC PU/PU  
DOUBLE DENSITY SOLE



## SRC

ANTI-SLIPPING SOLE

## PERFECT GRIP


G-GEL ANTISHOCK  
TO REDUCE IMPACT STRESS ON THE  
BODY AND TO GIVE ENERGY  
RETURN DURING THE WALK



BENDING POINT

ANTI-SLIPPING HEEL

TILTED HEEL  
TO IMPROVE THE WALKING



*extra*  
LIGHT  
shoes

HIDDEN  
OUTSOLE  
TECHNOLOGY





**DETROIT S1P**  
35-47

CT141NC  
 HIGH VISIBILITY



**GEORGIA S1P**  
35-47

CT141T  
 HIGH VISIBILITY



**NEVADA S1P**  
39-47

CT148T  
 HIGH VISIBILITY



**FLORIDA S1P**  
39-47

CT145N  
 G-GEL  HIGH VISIBILITY



**LONDON S3**  
39-47

CT154NR  
 G-GEL  HIGH VISIBILITY



**ROME S3**  
39-47

CT158NR  
 G-GEL  HIGH VISIBILITY



**ISTANBUL S3**  
37-47

CT1810



**MADRID S3**  
39-47

CT152V



**VALENCIA S1P**  
35-47

CT141V  
 HIGH VISIBILITY



**ARIES S3**  
39-47

CT025H




**PORTLAND S1P**  
39-47

CT154EV



**NEW YORK S1P**  
39-47

CT158EV



**ATLANTA S3**  
39-47

CT151D



**KANSAS S3**  
39-47

CT137N



**LAS VEGAS S1P**  
35-47

CT154NC



**PARIS S3**  
35-42

CT152T



**MALTA S2**  
35-47

CT002I



**BUDAPEST S1P**  
35-47

CT095I





**SNAKE 02 FO** C71810

37-47



**SPIDER 01P FO** C7154N

37-47



**CROW 01 FO** C70440

37-47



**MALMO 02 FO CI** C70250

37-47



**LUTON 03 FO** C7068DC

37-47



**EAGLE 02 FO** C7004I

37-47



**CAT 08 FO A E** C7007I


37-47





# KUBE


BEST SLIPPING RESISTANCE



*extra*  
**LIGHT**  
*shoes*



**SRC**  
ANTI-SLIPPING SOLE




## **ROOF GRIP UNI 11583:2015**


COEFFICIENTE D'ATTRITO SECONDO LA PROVA UNI EN ISO 13287  
FRICTION COEFFICIENT ACCORDING TO THE TEST UNI EN ISO 13287  
**ANTISTATIC PU/PU - DOUBLE DENSITY SOLE**



**NORDIC S3**  
36-47




**RUGBY S3**  
36-47



**BASKET S3**  
36-47



**SKI S3**  
39-47



**SNOWBOARD S3**  
39-47



**ACQUARIUS S1P**  
39-47

KU121E



**GOLF S3**  
39-47



**LIBRA S3**  
39-47





**FRESH S1P**  
39-47

KU124KV



**CARBON S1P**  
39-47

KU224E



**JUNG P3 CI**  
KU1680VX 32-35

**JUNG S3 CI**  
KU1680V 36-47



**BOXE S3**  
39-47

KU065N



**KARATE S3**  
39-47

KU069N



**DANCE S1P**  
35-42

KU055HF




**MIAMI S1P**  
35-47


KU093N




**JUDO S1P**  
35-47

KU0950






**EIRE S1P**  
39-47




**BIKE S1P**  
35-47




**PERÙ S1P**  
35-47



**RUN S1P**  
39-47




**SURF S1P**  
35-47




**TRUCKER SB FO A E**  
KU006H  
36-47



**PAINT S1P**  
35-47




**FARRIER S3 CI**  
39-47






**PANAMA S1P** KU083T  
35-49



**BOSTON S3** KU051L  
36-47  
  
CLASS 3



**VOLARE S3** KU073T  
35-47  
  
CLASS 3



**KAYAK S3** KU025T  
36-47  
  
CLASS 3  
  
HIGH VISIBILITY





**SOFTBALL S3** KU037T  
39-47  
  
ROOF GRIP  
  
CLASS 3  
  
HIGH VISIBILITY




**YORK S3** KU061D  
35-49  
  
HIGH VISIBILITY



**OXFORD S3** KU068D  
35-49  
  
ROOF GRIP  
  
HIGH VISIBILITY





**POLO S2**  
35-49

KU0021



**STOCKHOLM S2**  
39-47

KU0251



**HELSINKI SB FO A E**  
36-47

KU0071



**MEDINA S2**  
35-47

KU0020



**VILNIUS S3**  
36-47

KU0250



**FREE SB FO A E**  
36-47

KU0070



**BALTIC S2**  
35-47

KU0201



**CONSTANTA S2**  
37-47

KU8801



**ICEBERG S2 CI**  
37-47



KU0111





<p>200J No Metal</p>		<p>XL Mondo point 11</p>
<p>HRO 300°C</p>	<p>STRONG</p>	<p>CI -17°C</p>
<p>A</p>	<p>E</p>	<p>FO</p>

**SRC PERFECT GRIP**  
ANTI-SLIPPING SOLE



**WELDER S3 CI HRO 4X122D**  
39-47



**CROSS S1P HRO 4X141T**  
39-47



**RALLY S3 CI HRO 4X224N**  
39-47



**RACE S1P HRO 4X001E**  
39-47





**GUN S3 CI HRO 4X165N**  
39-47




**SAFARI S3 CI WR HRO 4X169N**  
39-47

# ERGO SAFE

ANTISTATIC PU/PU  
DOUBLE DENSITY SOLE



extra  
LIGHT  
shoes



SRC  
ANTI-SLIPPING SOLE

TILTED TOE  
TO IMPROVE THE WALKING

ANTI-SLIPPING HEEL

ANTISHOCK

TILTED HEEL  
TO IMPROVE THE WALKING





**SANTA FE S1P**  
36-47

71T83C



CLASS 3



**CRICKET S1P**  
39-47

ER141T



HIGH VISIBILITY



**SQUASH S1P**  
39-47

ER148T



HIGH VISIBILITY



**FITNESS S3**  
36-47

ER154NC



HIGH VISIBILITY



**HAWAII S1P**  
36-47

ER125K



CLASS 3



HIGH VISIBILITY



**HAITI S1P**  
36-47

71N93C



CLASS 3



**SPORT S3**  
36-47

73N25C



CLASS 3



HIGH VISIBILITY



**GYM S3**  
36-47

73N37C



CLASS 3




HIGH VISIBILITY




**FOOTBALL S1P**  
39-47




**FLASH S1P**  
36-47




**AIR S1P**  
39-47



**SOCCER S3**  
36-47




**VOLLEYBALL S3**  
39-47



**LIMA S1P**  
36-47



**ARENDALE S2**  
36-47



**BERGEN S2**  
36-47






MISS



*Bloom*  
ANTISTATIC PU/PU  
DOUBLE DENSITY SOLE



*extra  
LIGHT  
shoes*



**SRC**  
ANTI-SLIPPING SOLE *2 laces*





**LILY S3**  
36-41

BL1020



**LAVENDER S1P**  
36-41

BL102TF



**TULIP S1P**  
36-41

BL112T



**IRIS S3**  
36-41

BL106K



**HEATHER S3**  
36-41

BL103H



**VIOLET S3**  
36-41

BL1000



**ROSE S3**  
36-41

BL105H



**DAISY S2**  
36-41



BL1011






# 24 HOURS

ANTISTATIC PU/PU  
DOUBLE DENSITY SOLE



**SRC**  
ANTI-SLIPPING SOLE



## COMFORT PLANT XXL





**BADEN S3**  
39-48

33N42C



CLASS 3



**SYDNEY S3**  
39-48

33L74C



CLASS 3



HIGH  
VISIBILITY



**CANBERRA S3 WR**  
39-48

33L77C



CLASS 3



HIGH  
VISIBILITY



WR



**BREDA S3 CI**  
39-48

33N32C



CLASS 3



MEMBRANE



CI - 17°C



**DUBLIN S1P**  
39-48

31H34C



CLASS 3



HIGH  
VISIBILITY



**STOCCOLMA S1P**  
39-48

31T321



CLASS 3



# STABILE

ANTISTATIC PU/PU  
DOUBLE DENSITY SOLE

200J No Metal

XL Mondo point 11

A

E

FO

**SRC**  
ANTI-SLIPPING SOLE

EXTRA PROTECTION OVER CAP



TILTED TOE TO IMPROVE THE WALKING

TILTED HEEL TO IMPROVE THE WALKING




ANTI-TORSION INSERT



ANTI-TORSION



**ESSEN S3 CI** T0165N  
39-47



**HANNOVER S3 CI WR** T0169N  
39-47



**KOLN S3 CI WR** T0058L  
39-47



**BERLIN S3** T0065N  
39-47



**BAYERN S3** T0069N  
39-47





**RED S3 CI** T0157D  
39-47



**ORLANDO S3 CI** T0017L  
39-47



**DEFENDER S3 CI WR AN** T0159D  
39-47



**UTRECHT S3 CI WR** T0259L  
39-47



**MALAGA S3**  
39-47

T0061D



**GRANADA S3**  
39-47

T0068D



**STRAUSS S3**  
39-47

T0880BP



**GRAZ S1P**  
39-47

T0045N



**PORTO S3**  
39-47

T0162V



**BILBAO S3**  
39-47

T0167V



**ALASKA S3 CI WR**  
39-47

T0084B



**ONTARIO S3 CI**  
39-47

T0011B




**TITAN S3 CI**  
39-47

T0011G




# ACTION


ANTISTATIC PU/PU  
DOUBLE DENSITY SOLE



*extra*  
**LIGHT**  
*shoes*



**SRC**  
ANTI-SLIPPING SOLE



PERFECT GRIP



**SAHARA S1**  
AC082T  
36-47

**SAHARA S1P**  
AC082TP  
36-47



**AGADIR S1P**  
39-47

AC083V



**TIGRE S1P**  
39-47

AC055Q



**SALVADOR S3**  
39-47

AC003D



**CUBA S3**  
36-47

AC049D



**HAMBURG S3 CI WR**  
36-49

AC058L



**DALLAS S3 CI WR**  
39-47

AC053N



**DENVER S3 CI WR**  
39-47

AC057N



**GULF S3**  
39-47

AC011A



**MOZART S2**  
AC810B  
36-47

**MOZART S3**  
AC810BP  
36-49



**VERDI S2**  
AC880B  
36-47



**VERDI S3**  
AC880BP  
36-49



**VERDI S3 R**  
39-47


**AC880BRP**



**KENT S3**  
36-51




**CAMBRIDGE S3**  
36-51




**VIVALDI S3**  
36-47



**STEEL RM S3**  
38-47



**IRON RM S3**  
37-47



**SOLDADOR S3**  
39-47





HRO 300°C SOLE




-35°C SOLE

# HARD ROCK

ANTISTATIC PU / RUBBER SOLE

ANTISTATIC PU  
RUBBER SOLE



**SRC**  
ANTI-SLIPPING SOLE

HEAT INSULATION HI



FOR MECHANICAL WORKERS



PERFECT GRIP





**GENK S3 CI HI HRO**  
HR051L  
37-47



**KIEL S3 CI HI WR HRO**  
HR058L  
37-48



**CAIRO S3 CI HI HRO**  
HR068D  
39-47



**ERCOLANO S3 HI HRO**  
HR066D  
39-47



**ARIZONA S3 CI HI HRO**  
HR158NR  
39-47



**ALPI S3 CI HI WR HRO**  
HR058G  
37-47



**THERA S3 CI HI WR HRO**  
HR165NR  
39-47



**SANTORINI S3 CI HI WR HRO**  
HR169NR  
39-47



**POMPEI S3 CI HI HRO**  
HR078N  
39-47





QUEBEC S3 CI HI WR HRO

HR178L  
39-47



MONTANA S3 CI HI WR HRO

HR096L  
39-47



WINDTEX MEMBRANE

BREATHABLE WINDPROOF WATERPROOF HEAT-KEEPING

active freshness


aegis

**ANTIBACTERIAL TECHNOLOGY**




WINTER S3 CI HI WR HRO

HR011L  
39-47



GRIP S3 CI HI WR HRO

HR099L  
39-47



WinTherm

HEAT WINDPROOF SWISS

FELT ALLUMINIUM FUR

- 35°C shoes

**C.S.A. Z195-14** 

HARD ROCK INSULATING line exceeds requirements fixed from the Canadian norm CSA for electrical resistance. Determination of Electric Shock Resistance to a potential of **20.000 V, 60 HZ, FOR A PERIOD OF 1 MIN**

**INSULATING SOLE**  
from **> 1000 MΩ** 

The bottom of the shoe, within some limits (no humidity, it does not concern the upper), offers electrical resistance against tension up to 1.000V - M Ω > 1.000



**ASTM 2413 - 11** 

HARD ROCK INSULATING line exceeds requirements electrical resistance (EH) in accordance with ASTM 2413 - 11 electric hazard - Voltage: **20.000 V** / 60 Hz - duration: 1 min. - requirement of the electrical flow lower than 1.0 mA.



**VOLT SB FO E P HRO**  
HRD055H  
39-47



**HERTZ SB FO E P HRO**  
HRD154T  
39-47



**AMPERE SB FO E P CI HI WRU HRO**  
HRD037T  
39-47



**FRANKLIN SB FO E P WRU HRO**  
HRD052T  
37-47



**EDISON SB FO E P CI HI WRU HRO**  
HRD060D  
37-47



**TESLA SB FO E P CI HI WRU WR HRO**  
HRD057E  
39-47





CLASSE 2  
24 m/s

**WOODCUT S3 CI HI WR HRO SRC**

53L97C  
39-47



**MARTE GI S5**

39-46



METAL



**MARTE V S5**

39-46



METAL



**SARA**

35-46



**SOLE**

35/36  
37/38  
39/40  
41/42  
43/44  
45/46



**PESCI**

39-47



**GIOVE P S4**

39-46





**1000**  
36-49

CLASS 3  
XL  
Mondo point 11



**MEMORY**  
36-47

A  
XL  
Mondo point 11



**3000**  
36-41

CLASS 3  
M  
Mondo point 9  
*Bloom*



**4000**  
35-47

A  
XL  
Mondo point 11



**5000**  
32-49

CLASS 3  
XL  
Mondo point 11



**6000**  
37-47

CLASS 3  
XL  
Mondo point 11



**8000**  
39-48

CLASS 3  
XXL  
Mondo point 12  
**24 HOURS**



**9000**  
36-47

XL  
Mondo point 11



**AX**

39/40  
41  
42  
43  
44/45  
46/47

XL  
Mondo point 11



**GAS09-10**  
CM 67X32X28



**GAS14-10**  
110 cm

**GAS13-10**  
90 cm



**GA600-10**  
80 cm



**G518-13**  
ANKLE

S M  
L XL

**WINTER**



**G500-12**  
CALF

S M  
L XL

# DGUV 112 - 191

... orthopädische Einlagenversorgung für Sicherheitsschuhe aus dem Hause

**MANDER-MALMS**  
 = Schuhtechnik GmbH =

[www.mander-malms.de](http://www.mander-malms.de)

## DE DGUV112-191 (ex BGR 191)

Regolamento tedesco delle calzature di sicurezza in materia di scarpe ortopediche conformi ai requisiti della norma EN ISO 20345:2011.

In Europa si sta diffondendo l'uso di sottopiedi ortopedici da inserire nelle calzature di sicurezza offrendo alle persone che soffrono di patologie ai piedi maggior stabilità, una corretta postura e un beneficio a tutto il corpo.

Mander-Malms GmbH è un'azienda tedesca specializzata nella realizzazione di plantari ortopedici su misura adatti per le calzature Giasco.

## DE DGUV112-191 (ex BGR 191)

In Deutschland ist die Nutzung von orthopädischen Einlagen in Sicherheitsschuhen nach EN ISO 20345:2011 durch die DGUV112-191 geregelt.

Auch in Deutschland benutzen die Träger von Sicherheitsschuhen immer häufiger orthopädischen Einlagen.

Um den Anforderungen der EN ISO 20345:211 und DGUV112-191 gerecht zu werden, arbeitet GIASCO mit der deutschen Mander-Malms GmbH zusammen. Die Verwendung von Mander-Malms GmbH Einlagen durch den Orthopäden, gewährleistet die Einhaltung der Normen.

# ORTHOPEDIC INSOLES

**SoftAstatic**<sup>®</sup>  
 DAS VARIABLE EINLAGENSYSTEM



CLASS 3



## DE DGUV112-191 (ex BGR 191)

German Regulation of safety shoes concerning orthopedic shoes meeting the requirements of the norm EN ISO 20345: 2011.

In Europe it is spreading the use of orthopedic insoles in safety footwear providing people with foot problems more stable conditions, proper posture and a benefit to the whole body.

Mander-Malms GmbH is a German company specialized in the production of custom orthopedic insoles suitable for Giasco footwear.

## DE DGUV112-191 (ex BGR 191)

Réglementation allemande de chaussures de sécurité concernant chaussures orthopédiques qui répondent aux exigences de la norme EN ISO 20345:2011.

En Europe l'usage des semelles orthopédiques dans les chaussures de sécurité est en train d'augmenter, en offrant une meilleure stabilité, une bonne posture et un bénéfice pour tout le corps aux personnes avec maladies aux pieds.

Mander-Malms GmbH est une société allemande spécialisée dans la production de semelles orthopédiques sur mesure convenables pour les chaussures Giasco.



**GIASCO BAG**  
cm 50x300



**DISPLAY**  
cm 45x33



**GA539-07**  
H cm 230



**STICKER**  
cm 42x17




**GIASCO PEN**



**POSTER**  
cm 72x170



**MOUSE PAD**  
cm 15x20



# GIASCO

ITALY



TM

